

Client:				DX:	MRN	N:		_Eval D	ate:	D	C Date:
	S	ect	tion (	GG	Medicare	Fur	nct	ion	al A	SS	essment
utilized are wit should advoca assess These Rehab	l across hin the be us acy too ments items ilitation	s all post OT sc ed in a I for the linked corres Facilit	st-acute carrope of pract ddition to S value of O below. Visit pond with S y Patient As	e (PAC) sice, Sect ection G Γ in PAC. aota.org/ Section C sessmen	settings by the Centers for ion GG is intended as an G during a comprehension For more information on SectionGG for additional GG items in Medicare F	r Medican i interdiscove evaluation the imporesource PAC Assong Terr	re & Meciplinary ation. A ortance es. essmer m Care	edicaid asses OTA e and rol	Services (C sment. Oth ncourages e of Section luding the	CMS). A per star practit n GG i Minim	dardized functional assessment Although all of Section GG items and ardized assessments can and items to utilize this data as an anyour setting, see the Medicare um Data Set (MDS), Inpatient essment Record Evaluation Tool
Prior	Functions	oning: I	veryday Ac	tivities (A	Assessment Items GG 010 ; 1 = Dependent; 8 = Unk	00)	- Not				
3 –				лпе пеір	·	diowii, <b>9</b>	- NOL				
Α	Sco		Item Self-care		Definition  The ability to use suitable once the meal is placed.				d to the mo	uth and	d swallow food/ or liquid
В			Indoor mok (ambulatio		The need for assistance with walking from room to room (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.						
С				Code the patient's need for assistance with internal or external stairs (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.							
D	Functional cognition			Code the patient's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the current illness, exacerbation, or injury							
			ssessment d aids used b		0110) tient/ resident <u>prior to</u> the o	current illr	ness, ex	kacerba	ıtion, or inju	ry (Che	eck all that apply)
^		Item		•		1	5		Item		
A			ual wheelcl			-	D		Walker	-1	-41-41
B C	<u></u>		hanical lift	eichair ai	nd/or scooter	1	E Z		Orthotics/ prosthetics  None of the above		
C	Ш	wec	nanicai iiit			J	_	Ш	None of	tile at	oove
Funct	ional L	imitatio	n in Range	of Motior	n (Assessment Item GG01	115)+					
				-	; <b>1</b> = Dependent; <b>8</b> = Unk						
Code	for limi				ly functions or placed resid	dent at ris	sk of inju	•	•	ys	
		Item			efinition			lte . I c	em ower	1	Definition
Α			er extremity		houlder, elbow, wrist, har	nd E	В 🗵		tremity		Hip, knee, ankle, foot
Mobil	ity Dev	ices (A	tly only utilizessessment levices that w	tem GG0		'S			ltem		
Α			e/ crutch			]	D		Limb pro	osthes	is
В	□ Walker				†	Z				oove were used	
С			elchair (ma	nual or e	lectric)	1					
<sup>+</sup> This	item is		tly only utiliz			_					

Client:	DX:	MRN:	Eval Date:	DC Date:
	_			<u> </u>

# Admission GG scores should reflect functional status prior to the benefit of services to capture the client's true baseline.

## Self-Care Items (Assessment Items GG 0130)

6 = Independent; 5 = Setup; 4 = Supervision/Touching; 3 = Partial Assistance; 2 = Substantial Assistance; 1= Dependent; 07 = Refused; 09 = Not Applicable; 10 = Not attempted due to environment limitations; 88 = Not attempted due to medical condition/safety

	Admission	Goal	Discharge	Item	Definition
Α				Eating	The ability to use suitable utensils to bring food to the mouth and swallow food/ or liquid once the meal is placed before the patient.
В				Oral hygiene	The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.
С				Toileting hygiene	The ability to maintain perineal hygiene, adjust clothing before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
D				Wash upper body**	The ability to wash, rinse, and dry the face, hands, chest, and arms while sitting in a chair or bed.
Е				Shower/bathe self*	The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.
F				Upper body dressing*	The ability to dress and undress above the waist; including fasteners, if applicable.
G				Lower body dressing	The ability to dress and undress below the waist, including fasteners; does not include footwear.
Н				Putting on/ taking off footwear	The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.
1				Personal hygiene *	The ability to maintain personal hygiene, including combing hair, shaving, applying makeup, washing/drying face and hands (excludes baths, showers, and oral hygiene).

<sup>\*</sup>Indicates the item is not reported to CMS in Long Term Care Hospitals (LTCH) \*\*Indicates the item is only reported to CMS in LTCH.

<sup>+</sup> Indicates this item is only reported to CMS on the MDS

lient:			DX:	MRN:	Eval Date:	DC Date:		
= Ir		Setup; <b>4</b> = 9	Supervision/Tou			istance; <b>1</b> = Dependent; <b>07</b> = Refused medical condition/safety		
	Admission	Goal	Discharge	Item Definition				
Α				Roll left and right		oll from lying on back to left and right n to lying on back on the bed.		
В				Sit to lying	The ability to make lying flat on the	ove from sitting on side of bed to bed.		
С				Lying to sitting on side of bed	The ability to safely move from lying on the back sitting on the side of the bed with feet flat on the floor, and with no back support.			
D				Sit to stand		afely come to a standing position a chair or on the side of the bed.		
E				Chair/bed-to-chair transfer	The ability to sa chair (or wheel	afely transfer to and from a bed to a chair).		
F				Toilet transfer	The ability to sa commode.	afely get on and off a toilet or		
F				Tub/ shower transfer *	The ability to g	et in and out of a tub/shower		
G				Car transfer*	the passenger	ansfer in and out of a car or van on side. Does not include the ability to or fasten seat belt.		
	Admission G	G scores	should reflec	t functional status prior to true baseline.	the benefit of s	services to capture the client's		
I				Walk 10 feet	a room, corrido	the ability to walk at least 10 feet in or, or similar space. If performance 0, 10, or 88, skip to M (1 step curb).		
J				Walk 50 feet with 2 turns	Once standing, and make two	the ability to walk at least 50 feet turns.		
<				Walk 150 feet*		the ability to walk at least 150 feet similar space.		
L				Walking 10 feet on uneven surfaces		alk 10 feet on uneven or sloping or or outdoor), such as turf or		
M				1 step (curb)* Can score if using wheelchair	and down one	o up and down a curb and/or up step. If performance is coded 07, kip to P (picking up object).		
N				4 steps* Can score if using wheelchair	without a rail. If	o up and down four steps with or f performance is coded 07, 09, 10, (picking up object).		
0				12 steps* Can score if using wheelchair	The ability to go	o up and down 12 steps with or		

S Grade Tableet Grade Seated in Wheel rail Conce seated in Wheel Conce seated in Wheel rail Conce seated in Wheel rail Conce seat

☐ manual ☐ motorized

Wheel 50 feet with 2 turns

Does patient use wheelchair and/ or scooter?

Picking up object\*

Wheel 150 feet

☐ Yes

☐ No

Ρ

Q

R

The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from

Once seated in wheelchair/scooter, can wheel at

Once seated in wheelchair/scooter, can wheel at

least 50 feet and make two turns.

Skip "R" and "S" if "No"

the floor.

Client:_	DX:	MRN:_	Eval Date:	DC Date:	
_					

### Section GG Scoring Algorithm (CMS, n.d.)

Use the chart below to score each item. Adaptive equipment and assistive devices may be used for any score. For more information, see aota.org/SectionGG.



- 6: Independent—Patient/resident safely completes the activity by themselves with no assistance from a helper.
- 5. Setup or Cleanup Assistance—Helper sets up or cleans up; patient/resident completes activity. Helper assists only prior to or following the activity.
- **4. Supervision or Touching Assistance**—Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient/resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 3. Partial/Moderate Assistance—Helper does less than half the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 2. Substantial/Maximal Assistance—Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort
- **1. Dependent**—Helper does ALL the effort. Patient/resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient/resident to complete the activity.
- 07: Resident Refused
- 09: Not Applicable—Resident did not perform this activity prior to current injury, exacerbation, or injury.
- 10: Not Attempted—Due to environmental limitations.
- 88: Not Attempted—Due to medical condition and safety concerns.

<sup>+</sup> Indicates this item is only reported to CMS on the MDS

Client:	DX:	MRN:	Eval Date:	DC Date:
			<u> </u>	

#### **Full Medicare Assessments**

Review the most recent full Medicare assessments for each post-acute care setting:

- Inpatient Rehabilitation Facility Resident Assessment Instrument (IRF–PAI): https://www.cms.gov/medicare/payment/prospective-payment-systems/inpatient-rehabilitation/pai
- Minimum Data Set (MDS) used in Skilled Nursing Facilities: <a href="https://www.cms.gov/medicare/quality/nursing-home-improvement/resident-assessment-instrument-manual">https://www.cms.gov/medicare/quality/nursing-home-improvement/resident-assessment-instrument-manual</a>
- Outcome and Assessment Instrument Set (OASIS) used in Home Health Agencies: <a href="https://www.cms.gov/medicare/quality/home-health/oasis-data-sets">https://www.cms.gov/medicare/quality/home-health/oasis-data-sets</a>
- Long Term Care Hospital Continuity Assessment Record (CARE) Data Set (LCDS): <a href="https://www.cms.gov/medicare/quality/long-term-care-hospital/ltch-care-data-set-ltch-qrp-manual">https://www.cms.gov/medicare/quality/long-term-care-hospital/ltch-care-data-set-ltch-qrp-manual</a>

#### **AOTA Practice Resources**

- AOTA Practice Resources: <a href="https://aota.org/practice">https://aota.org/practice</a>
- AOTA Section GG Page: <a href="https://aota.org/sectionGG">https://aota.org/sectionGG</a>
- AOTA SNF Resources: https://aota.org/pdpm
- AOTA Home Health Resources: https://aota.org/pdgm
- AOTA Quality Toolkit: https://aota.org/quality

#### Resources

Centers for Medicare & Medicaid Services. (n.d.). Coding Section GG Self-Care & Mobility Activities included on the Post-Acute Care Item Sets: Key questions to consider when coding. <a href="https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/IRF-Quality-Reporting/Downloads/GG-Self-Care-and-Mobility-Activities-Decision-Tree.pdf">https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/IRF-Quality-Reporting/Downloads/GG-Self-Care-and-Mobility-Activities-Decision-Tree.pdf</a>

Centers for Medicare & Medicaid Services. (2023). IMPACT Act of 2014 data standardization & cross setting measures. <a href="https://www.cms.gov/medicare/quality/initiatives/pac-quality-initiatives/impact-act-2014-data-standardization-cross-setting-measures">https://www.cms.gov/medicare/quality/initiatives/pac-quality-initiatives/impact-act-2014-data-standardization-cross-setting-measures</a>

Centers for Medicare & Medicaid Services. (2021). Section GG: Understanding Prior Functioning and Prior Device Use. https://pac.training/courses/GG course1/#/

Centers for Medicare & Medicaid Services. (2021). Section GG: GG0130. Self-Care Items. https://pac.training/courses/GG course2/#/

Centers for Medicare & Medicaid Services. (2021). Section GG: GG0170. Mobility Items. https://pac.training/courses/GG course3/#/