

OT Home Health Evaluation Checklist & Quality Measures

Use the checklist below during the evaluation as a reminder of areas to address. AOTA encourages practitioners to print off the checklist and bring it with you to help guide client evaluations, as well as to educate and train your colleagues regarding the occupational therapy evaluative process. This document does not replace the clinical judgment of an occupational therapist. The checklist supports high quality OT evaluations that lead to occupation-based, client-centered interventions and quality performance measures.

A comprehensive occupational therapy evaluation is based on a theoretical model and follows the *Occupational Therapy Practice Framework (AJOT,2020)*. A top-down approach identifies occupations that are challenging and important to the client and then assesses related performance skills, client factors, environments and context, and performance patterns.

Occupational Profile

Each element of the occupational profile is considered from the client's perspective. Take notes here or download the Occupational Profile at www.aota.org/profile to facilitate the subjective interview and goal development.

- Client's Concerns
- Successful Occupations
- Occupational History
- Interests & Values
- Contexts: Environment & Personal
- Performance Patterns
 - Habits
 - Routines
 - Roles
 - Rituals
- Client Factors
 - Values/Beliefs
 - Body Function
 - Body Structure
- Client Goals/Priorities

Analysis of Occupational Performance

Utilize the [Quality Toolkit](#) for links to standardized assessments and screening tools used in each of the areas below.

	Addressed	Is this area a Priority?		Addressed	Is this area a Priority?
Occupations					
ADLs	<input type="checkbox"/>	<input type="checkbox"/>	IADLs	<input type="checkbox"/>	<input type="checkbox"/>
Performance Skills					
Psychosocial/Behavior Skills	<input type="checkbox"/>	<input type="checkbox"/>	Fall Prevention/Fear of Falling	<input type="checkbox"/>	<input type="checkbox"/>
Client Factors—In addition to areas identified while addressing ADLs and IADLs (e.g., motor, sensation, pain)					
Vision	<input type="checkbox"/>	<input type="checkbox"/>	Functional Cognition	<input type="checkbox"/>	<input type="checkbox"/>
Performance Patterns					
Habits, Routines, Roles, Rituals	<input type="checkbox"/>	<input type="checkbox"/>			
Contexts					
Include Safety Screen	<input type="checkbox"/>	<input type="checkbox"/>			

Home Health OASIS Measures

Use the most recent CMS OASIS Guidance Manual for descriptions of each task and score. For information on the OASIS and Home Health reimbursement visit www.aota.org/pdgm.

0 = completes task safely without assistance

Highest Number = dependent entirely upon another person

OASIS ITEMS	Score at Eval	Goal	Score at D/C
M1700: Cognitive Functioning: Patient's current (day of assessment) level of alertness, orientation, comprehension, concentration, and immediate memory for simple commands	(0-4)		
M1720: When Anxious (reported or observed in last 14 days)	(0-3, NA)		
M1800: Grooming – Current ability to tend safely to personal hygiene needs (specifically: washing face and hands, hair care, shaving or makeup, teeth or denture care, or fingernail care).	(0-3)		
M1810: Current Ability to Dress Upper Body safely (with or without dressing aids) including undergarments, pullovers, front-opening shirts and bouses, managing zippers, buttons, and snaps	(0-3)		
M1820: Current Ability to Dress Lower Body safely (with or without dressing aids) including undergarments, slacks, socks or nylon, shoes	(0-3)		
M1830: Bathing – current ability to wash entire body safely. <u>Excludes</u> grooming.	(0-6)		
M1840: Toilet Transferring – current ability to get to and from the toilet or bedside commode safely <u>and</u> transfer on and off toilet/commode	(0-4)		
M1845: Toileting Hygiene – current ability to maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, commode, bedpan, urinal. If managing ostomy, includes cleaning area around stoma, but not managing equipment.	(0-3)		
M1850: Transferring – current ability to move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast.	(0-5)		
M1860: Ambulation/Locomotion – current ability to walk safely, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.	(0-6)		
M1870: Feeding or Eating – current ability to feed self meals and snacks safely. Note: This refers only to the process of <u>eating</u> , <u>chewing</u> , and <u>swallowing</u> , <u>not preparing</u> the food to be eaten.	(0-5)		
M1910: Has the patient had a multifactor Falls Risk Assessment using a standardized, validated assessment tool?	No Yes – does not indicate risk of fall		

Home Health GG Measures

Visit [AOTA's Section GG page](#) and handout for additional information and training on scoring Section GG items.

3: Independent; 2: Needed Some Help; 1: Dependent; 8: Unknown; 9: Not Applicable

Section GG 100: Prior Functioning	Score
A: Self Care: Code the patient's need for assistance with bathing, dressing, using the toilet, and eating prior to the current illness, exacerbation, or injury.	
B: Indoor Mobility (Ambulation): Code the patient's need for assistance with walking from room to room (without or without a device) prior to the current illness, exacerbation or injury.	
C: Stairs: Code the patient's need for assistance with internal or external stairs (with or without a device) prior to the current illness, exacerbation, or injury.	
D: Functional Cognition: Code the patient's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the current illness exacerbation, or injury.	

Section GG 100: Prior Device Use (Check all that apply)

A: Manual wheelchair	D: Walker
B: Motorized wheelchair and/or scooter	E: Orthotics/ Prosthetics
C: Mechanical lift	Z: None of the above

6: Independent; 5: Setup or Cleanup Assist; 4: Supervision or Touching Assist; 3: Mod Assist; 2: Max Assist; 1: Dependent; 07: Refused; 09: Not Applicable; 10: Not Attempted Due to Environment Limitation; 88: Not Attempted Due To Medical Condition/Safety;

Section GG 130: Functional Status	Score at Eval	Goal	Score at D/C
A: Eating: Ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food/liquid once the meal is placed before the patient.			
B: Oral Hygiene: Ability to use suitable items to clean teeth/dentures. Ability to insert and remove dentures and manage equipment for cleaning them.			
C: Toileting Hygiene: Ability to maintain perineal hygiene, adjust clothes before/after voiding. Ostomy: wiping and opening but not managing equipment.			
E: Shower/Bathe Self: Ability to bathe self, including washing, rinsing and drying self (excludes washing back and hair). Does not include transfers in/out of tub/shower.			
F: Upper Body Dressing: Ability to dress and undress above the waist; including fasteners, if applicable.			
G: Lower Body Dressing: Ability to dress and undress below the waist, including fasteners; does not include footwear.			
H: Putting On/Taking Off Footwear: Ability to put on and take off sock and shoes or other footwear that is appropriate for safe mobility; including fasteners.			

Section GG 170: Mobility	Score	Section GG 170: Mobility	Score
A: Roll Left and Right		K: Walk 150 ft	
B: Sit to Lying		L: Walking 10 ft on Uneven Surfaces	
C: Sit to Stand		M: 1 Step (curb)	
D: Sit to Stand		N: 4 Steps	
E: Chair/ Bed-to-Chair Transfer		O: 12 Steps	
F: Toilet Transfer		P: Picking Up Object	
G: Car Transfer		Q: Does the Patient Use a Wheelchair and/or Scooter?	
I: Walk 10 ft		R: Wheel 50 ft with Two Turns Manual <input type="checkbox"/> Motorized <input type="checkbox"/>	
J: Walk 50 ft with Two Turns		S: Wheel 150 ft Manual <input type="checkbox"/> Motorized <input type="checkbox"/>	

Home Health Quality Measures (2022)

Learn more about the Quality Reporting Program (QRP) and Value-Based Purchasing at www.aota.org/pdgm.

* Indicates measures utilized for the expanded Home Health Value-Based Purchasing Program

Agencies are scored based on the measures below. Reimbursement can be adjusted based on reported quality outcomes. Collaborate with your agency to identify current scores, identify priorities for improvement, and how OT can contribute.

OASIS-Based

Measure	Facility Score on ___/___/___	Notes
Percentage of home health quality episodes during which the patient got better at bathing self. (NQF #0174)		
Percentage of home health quality episodes during which the patient improved in ability to get in and out of bed. (NQF #0175)		
Percentage of home health quality episodes during which the patient improved in ability to ambulate. (NQF #0167)		
Percentage of home health quality episodes during which the patient improved in ability to take their medicines correctly (by mouth). (NQF #0176)		
Influenza immunization received for current flu season		
Improvement in management of oral medications (NQF #0176)*		
Timely initiation of care (NQF #0526)		
Transfer of health information to Provider – Post-acute care		
Transfer of health information to Patient – Post-acute care		
Percentage of quality episodes in which the patient experiences one or more falls with major injury (long stay). (NQF #0674)		
Percentage of quality episodes in which Long-Term Care Hospital (LTCH) Patients with an Admission and Discharge Functional Assessment and a Care Plan that Address Function (NQF #2631)		
Drug regimen review conducted with follow-up for identified issues – PAC HH QRP		
Drug education on all medications provided to patient/caregiver during all episodes of care		
Improvement in dyspnea (NQF #0179)*		
Discharge to community (NQF #3477)*		
Total normalized composite change in mobility* <ul style="list-style-type: none"> • M1840 Toilet Transferring • M1850 Bed Transferring • M1860 Ambulation/ Locomotion 		
Total normalized composite change in self-care* <ul style="list-style-type: none"> • M1800 Grooming • M1810 Upper Body Dressing 		

Claims-Based

Measure	Facility Score on ___/___/___	Notes
Percentage of home health stays in which patients were admitted to an acute care hospital during the 60 days following the start of the home health stay. (NQF #0171)		
Percentage of home health stays in which patients used the emergency department but were not admitted to the hospital during the 60 days following the start of the home health stay. (NQF #0173)*		
Total estimated Medicare spending per beneficiary (MSPB) – PAC HHQRP		
Potentially preventable 30-day post-discharge readmission measure for HH QRP		

HHCAHPS-Based

Measure	Facility Score on ___/___/___	Notes
CAHPS Home Health Care Survey (experience with care) (NQF #0517) <ul style="list-style-type: none"> • How often the HH team gave care in a professional way* • How well did the HH team communicate with patients* • Did the HH team discuss medicines, pain, and home safety with patients* • How do patients rate the overall care from the HHA* • Will patients recommend the HHA to friends and family* 		

Resources

Occupational Therapy Practice Framework: Domain and Process—Fourth Edition. Am J Occup Ther August 2020, Vol. 74(Supplement_2), 7412410010p1–7412410010p87. doi: <https://doi.org/10.5014/ajot.2020.74S2001>

Centers for Medicare & Medicaid Services: Home Health Quality Measures: <https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/HomeHealthQualityInits/Home-Health-Quality-Measures>

AOTA Payment Policy: Home Health Payment: www.aota.org/pdgm

AOTA Quality: Volume to Value: www.aota.org/value

Centers for Medicare and Medicaid Services: Expanded Home Health Value-Based Purchasing Model: <https://innovation.cms.gov/innovation-models/expanded-home-health-value-based-purchasing-model>